

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	250/581 and support and panel and layer and adjust\$4 and position and spac\$4 and holes	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 08:39
L2	9	250/581 and panel and support adj plate	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 08:39
L3	7	250/581 and panel and support adj plate and (spac\$5 or spacing or gap)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 08:42
L4	1	250/581 and panel and support adj plate and (spac\$5 or spacing or gap) and position adj adjust\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 08:43
L5	1	250/581 and panel and support adj plate and (spac\$5 or spacing or gap) and ((position or adjust\$4) same phosphor adj panel)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 08:44
L6	7	250/581 and panel and support adj plate and (spac\$5 or spacing or gap) and (position or adjust\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 09:00
L7	5	250/580\$ and panel and support adj plate and (spac\$5 or spacing or gap) and (position or adjust\$4)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:06
L8	278	250/580	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:06
L9	256	250/581	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:06
L10	189	250/582	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:06
L11	399	250/584	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:06
L12	290	250/586	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:06

L13	172	250/587	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:06
L14	431	250/484.4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:07
L15	3	L14 and support adj plate and ((position or adjust or non adj stationary) adj panel)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:09
L20	1	"L10" and support adj plate and ((position or adjust or non adj stationary) adj panel)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:10
L23	1	"L11" and support adj plate and ((position or adjust or non adj stationary) same phosphor)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:10
L27	26	"L13" and support adj plate and (position or adjust or non adj stationary) and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:12
L28	22	"L14" and support adj plate and (position or adjust or non adj stationary) and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:11
L29	43	"L12" and support adj plate and (position or adjust or non adj stationary) and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:11
L30	50	"L11" and support adj plate and (position or adjust or non adj stationary) and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:11
L31	48	"L10" and support adj plate and (position or adjust or non adj stationary) and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:11
L32	60	"L9" and support adj plate and (position or adjust or non adj stationary) and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:11
L33	66	"L8" and support adj plate and (position or adjust or non adj stationary) and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14

L38	12	"L11" and support adj plate and adjust\$4 and panel and spac\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:12
L39	15	"L10" and support adj plate and adjust\$4 and panel and spac\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:12
L40	6	"L19" and support adj plate and adjust\$4 and panel and spac\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:12
L41	4	"L18" and support adj plate and adjust\$4 and panel and spac\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:12
L42	16	"L13" and support adj plate and adjust\$4 and panel and spac\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:12
L43	13	"L14" and support adj plate and adjust\$4 and panel and spac\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:12
L45	2	L9 and support adj plate and panel and layer and position same adjust\$4 and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:13
L47	2	L11 and support adj plate and panel and layer and position same adjust\$4 and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:13
L48	2	L12 and support adj plate and panel and layer and position same adjust\$4 and space	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:13
L51	63	"L8" and support adj plate and (position or adjust or non adj stationary) and space and surface	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14
L52	58	"L9" and support adj plate and (position or adjust or non adj stationary) and space and surface	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14
L53	45	"L10" and support adj plate and (position or adjust or non adj stationary) and space and surface	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14

L54	49	"L11" and support adj plate and (position or adjust or non adj stationary) and space and surface	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14
L55	40	"L12" and support adj plate and (position or adjust or non adj stationary) and space and surface	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14
L56	25	"L13" and support adj plate and (position or adjust or non adj stationary) and space and surface	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
L57	22	"L14" and support adj plate and (position or adjust or non adj stationary) and space and surface	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14
L58	17	"L13" and support adj plate and (position or adjust or non adj stationary) and space and surface and image	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
L59	12	"L14" and support adj plate and (position or adjust or non adj stationary) and space and surface and image	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
L60	26	"L12" and support adj plate and (position or adjust or non adj stationary) and space and surface and image	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
L61	38	"L11" and support adj plate and (position or adjust or non adj stationary) and space and surface and image	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
L62	25	"L10" and support adj plate and (position or adjust or non adj stationary) and space and surface and image	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
L63	43	"L9" and support adj plate and (position or adjust or non adj stationary) and space and surface and image	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
L64	33	"L8" and support adj plate and (position or adjust or non adj stationary) and space and surface and image	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:15
S1	431	250/484.4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:07

S2	73	250/484.4 and support and panel and stimuable adj phosphor and layer and adjust\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 11:59
S3	28	250/484.4 and support and panel and stimuable adj phosphor and layer and adjust\$4 and position	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 12:00
S4	15	250/484.4 and support and panel and stimuable adj phosphor and layer and adjust\$4 and position and spac\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 12:14
S7	4	250/484.4 and support and panel and stimuable adj phosphor and layer and adjust\$4 and position and spac\$4 and holes	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 12:36
S9	4	250/580\$ and support and panel and layer and adjust\$4 and position and spac\$4 and holes	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/06 10:14
S11	3	250/582 and support and panel and layer and adjust\$4 and position and spac\$4 and holes	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 13:39
S12	2	250/584 and support and panel and layer and adjust\$4 and position and spac\$4 and holes	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 14:07
S13	2	250/586 and support and panel and layer and adjust\$4 and position and spac\$4 and holes	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 13:56
S14	1	250/580\$ and support adj plate and panel and layer and position same adjust\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 16:02
S16	1	250/580\$ and support adj plate and panel and layer and position same adjust\$4 and (space or spac\$4 or gap)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/04/05 15:30
S17	1	"6031892".PN.	USPAT; USOCR	OR	ON	2005/04/05 16:07